

To

**Additional Principal Chief Conservator of Forests(C),
Ministry of Environment, Forests and Climate Change,
Integrated Regional Office - Chennai,
1st Floor, Additional Office Block,
Shastri Bhavan, Haddows Road,
Nungambakkam, Chennai-600006.**

Dear Sir,

Sub: - Compliance Status of the conditions stipulated in the Environmental Clearance


(Period - April 2024 to September 2024)

Ref: - 1. EC Identification No. EC22A021TN168846

2. File No. J-11011/156/2008-IA-II(I) dated 06-10-2022

Manali Petrochemicals Limited – Plant – II – PG expansion EC Compliance Report

Compliance Statement of EC conditions		
A.	Specific Conditions	Compliance Status
(i)	The PP shall install a minimum of 3 (three) online Ambient Air Quality Monitoring Stations with 1 (one) in upwind and 2 (two) in downwind direction based on long term climatological data about wind direction such that an angle of 120° is made between the monitoring locations to monitor critical parameters, relevant for Industry operations, of air pollution viz. PM ₁₀ , PM _{2.5} , NO ₂ , CO and SO ₂ etc. as per the methodology mentioned in NAAQS Notification No. B- 29016/20/90/PCI/I, dated 18.11.2009 covering the aspects of process emission, transportation, use of DG Set and use of any machinery in the impact zone. The ambient air quality shall also be monitored at prominent places as per the site condition to ascertain the exposure characteristics at specific places. The above data shall be digitally displayed within 03 months in front of the main Gate of the Industry.	Partially complied. As per the requirements, the installation and commissioning of the three (3) Ambient Air Quality (AAQ) Monitoring Stations are currently in progress. These stations are being set up in the upwind (1 No.) and downwind (2 Nos.) direction based on the climatological data and emission aspects as stipulated in the condition. AAQ monitoring will also be carried out at prominent places within the site as per the site condition so as to ascertain the exposure characteristics at specific places.
(ii)	The PP shall ensure that effective fugitive emission control measures should be imposed in the process, transportation, packing etc. and wherever possible, the transportation of materials is through rail/conveyor belt.	Being complied. The following effective fugitive emission control measures are already available in the existing unit. <ul style="list-style-type: none"> • Provision of double mechanical seals in all the hydrocarbon pumps. • All the raw material and product tanks are under Nitrogen blanketing. • Purge gas from the process is used in boiler as fuel and not flared.



Factories :

Plant - 1 : Ponneri High Road, Manali, Chennai - 600 068

Plant - 2 : Sathangadu Village, Manali, Chennai - 600 068

Phone : 044 - 2594 1025 Fax : 044 - 2594 1199



		<ul style="list-style-type: none"> • TVOC emission detectors are provided in appropriate locations to monitor and control fugitive emission. In the existing unit, District Environment Laboratory (DEL)-Manali of TNPCB is carrying out the TVOC survey every year and the same will be continued after expansion. • Continuous AAQ monitoring station kept in place to monitor PM_{2.5}, PM₁₀ and online connected to TNPCB - CAC. • The Plant is operated through DCS and the same is monitored continuously. Emission control measures will be ensured in the expansion facility also.
(iii)	Effective safeguard measures for prevention of dust generation and subsequent suppression (like regular water sprinkling, metalled road construction etc.) shall be carried out in areas prone to air pollution wherein high levels of PM10 and PM2.5 are evident. such as road, loading, unloading and transfer points. The fugitive dust emissions from all sources shall be regularly controlled by installation of required equipment's/ machineries and preventive maintenance. It shall be ensured that air pollution level conform to the standards prescribed by the MoEF&CC/Central Pollution Control Board.	Being complied Regular water sprinkling is being carried out at roads, loading, unloading and transfer points as an effective safeguard measure in the existing unit and the same will be continued after expansion also.
(iv)	The PP shall explore the possibility of use of best available technology for the plant if any and submit a report every year to IRO, MoEF&CC. In case of availability of such technology the PP shall take necessary steps for the implementation of the same including amending the EC.	Being complied. <ul style="list-style-type: none"> • The technology selected for the expansion is the best available. • The plant will be operated through Distributed Digital Control System. • The plant will be fully automated. • The safety interlock will be operated using Programmable Logic Controller (PLC). • The energy utilization will be minimized using pinch technology and latest energy efficient drives.
(v)	The PP shall carry out assessment of the carrying capacity of transportation load on roads inside the industrial premises every year and based on the assessment report take necessary measures including widening of the roads.	Agreed to comply. Sufficient road space is available within the site for the existing and expansion units. The width of Existing Road is 6 m which is adequate for transportation of loads for the existing and as well as the expansion requirements. However, as stipulated in the condition, the assessment of the carrying capacity of transportation load on roads within the industrial premises will be carried out every year. Based on the assessment

G.R. Srinivas




		report, necessary measures will be taken, including widening of the roads if any.
(vi)	The PP shall prepare a detailed rainwater harvesting plan within a period of 6 months so that unit may become water positive. The study report shall be submitted to IRO, MoEF&CC and submit the quantity of rainwater harvested to before IRO, MoEF&CC before 1st July of every year for the rainwater harvested during the previous year.	Agreed to comply. The installation of a rainwater harvesting system, which collects rainwater from the rooftops of the respective buildings into a collection tank/reservoir for use within the plant, is currently in progress.
(vii)	The PP shall ensure that dumping of waste, if any, is strictly as per designated locations approved by SPCBs/PCCs.	Being complied The municipal wastes generated is presently being disposed to corporation recycle yards and the same will be continued after expansion. The hazardous wastes generated viz. Spent Oil and ETP sludge are being disposed to TNPCB authorized recyclers and TSDF facility operated by TNWML, Gummidipoondi respectively in the existing unit and the same will be followed after expansion. There is no additional ETP sludge generation from the expansion unit. The combined quantity will be within the TNPCB approved quantity, as per the HWA issued under Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 vide HW Authorization No. 22HFC28359666 valid up to 31.03.2026.
(viii)	The PP shall ensure regular auditing of the compliance of the EC conditions by a Third Party annually and the audited report needs to be submitted to IRO, MoEF&CC.	Being complied. The existing EC conditions are already audited by the third party annually. Similarly, as per the condition, the annual audit for compliance with the EC conditions is carried out by a third party, and the audited report will be submitted to IRO, MoEF, and CC
(ix)	The PP shall ensure the use of cleaner fuel R-LNG with a stack height of 30 m for controlling the particulate emissions within the statutory limit of 115 mg/Nm ³ for the proposed 30 TPH boiler and submit a report within a year to IRO, MoEF&CC before 1 st July of every year for the activities carried out during the previous year.	Agreed to comply. Initiated action to use cleaner fuel R-LNG in the proposed 30 TPH boiler. Agreement has been executed with IOCL & laying of pipeline for supply of R-LNG is being carried out by IOCL. Once the R-LNG is available, it will be ensured that the same will be used in the proposed 30 TPH boiler attached with the existing stack of height 30 m and the particulate emissions will be controlled within the prescribed statutory limit of 115 mg/Nm ³ .

C.R.S.



(x)	<p>The budget earmarked for the Corporate Environment Responsibility (CER) is ₹ 0.9375 Crores which will be spent on need-based approach in consultation with the District Collector of Thiruvallur District. The budget earmarked for CER shall be kept in separate account and should be audited annually. The PP should annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of activities carried out, amount spent etc. to the IRO, MoEF&CC before 1st July of every year for the activities carried out during the previous year.</p>	<p>Agreed to comply.</p> <p>The budget earmarked for the Corporate Environment Responsibility (CER) of ₹ 0.9375 Crores will be spent on need-based approach in consultation with the District Collector.</p> <p>The budget earmarked for CER will be kept in separate account and the same will be audited annually. The audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of activities carried out, amount spent etc. will be submitted to the IRO, MoEF&CC.</p>
(xi)	<p>The PP shall develop additional Greenbelt by planting 14215 number of trees considering 70% survival rate within a period of one year from the grant of EC. The saplings selected for the plantation should be of sufficient height, preferably 6-ft (about 2 m). In addition to this, the budget earmarked for the plantation shall be kept in separate account and should be audited annually. The PP should annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of the expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.</p>	<p>Complied.</p> <ul style="list-style-type: none"> •The additional Greenbelt development completed by planting 14215 number of trees in an area of 15 acres allotted by Thirunilai Panchayat, Cholavaram Union, Ponneri Taluk during Oct – 2023. Photos of before & after Green belt development with geo-location enclosed as Annexure – 1a. •The saplings selected for plantation are of sufficient height, preferably 6-ft (about 2 m). •In addition to this, the budget earmarked for the plantation will be kept in separate account and the same will be audited annually. •The audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of the expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. will be submitted to the Regional Office of MoEF&CC.
(xii)	<p>A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full- fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. The PP shall engage Plant Head- Head EHS- Assistant Manager- safety and Environment, Executives. In addition to this one safety & health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. The PP should annually submit the audited statement of amount spent towards</p>	<p>Partially Complied.</p> <p>A separate Environmental Management Cell (EMC) (having qualified persons with Environmental Science/Environmental Engineering/Specialization in the project area) equipped with full- fledged laboratory facilities are already in place to carry out the Environmental Management and Monitoring functions. In the EMC, Plant Head- Head EHS- Manager- Safety and Environment, Executives are engaged. In addition to this, one safety & health officer as per the qualification given in Factories Act 1948 is engaged.</p>

Handwritten signature




	the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.	The annual audited statement for the amount spent towards the engagement of qualified persons in EMC along with details of person engaged will be submitted to the Regional Office of MoEF&CC.
(xiii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP is ₹1411 Lakh (Capital cost) and ₹677 Lakh (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1 st July of every year for the activities carried out during the previous year.	Agreed to comply. The company will comply with all the environmental protection measures and safeguards as proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project will be implemented. The budget proposed under EMP is ₹1411 Lakh (Capital cost) and ₹677 Lakh (Recurring cost) will be kept in separate account and the same will be audited annually. The annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable will be submitted to the Regional Office of MoEF&CC.
(xiv)	The total water requirement will be 3247 KLD for existing facility and additional requirement of 810 KLD for the proposed expansion will be met from Chennai Metropolitan Water Supply and Sewerage Board (CMWSSB). The PP should ensure that water supply should not be above the permissible limit as mentioned in the letter and fresh water shall be withdrawal only after obtaining valid agreement from Concerned Authority. The PP should submit the details of utilization to the Integrated Regional Office (IRO), MoEF&CC before 1 st July of every year for the activities carried out during the previous year.	Agreed to comply. The water supplied will not be above the permissible limit as mentioned in the letter and fresh water will be withdrawn only after obtaining valid agreement from Concerned Authority. The details of utilization will be submitted to the Integrated Regional Office (IRO), MoEF&CC.
(xv)	No banned chemicals shall be manufactured by the PP. No banned raw materials shall be used in the unit. The PP shall adhere to the notifications/guidelines of the Government in this regard.	Complied. No banned chemicals are being manufactured in the unit and will not be manufactured in the Expansion facility also. No banned raw materials are being used in the unit and will not be used in the Expansion facility also. The notifications/guidelines of the Government issued in this regard shall be adhered.
(xvi)	The PP shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than	Being complied. It is proposed to use R-LNG as fuel in boilers which will act as carbon sequestration resource. The carbon

C. R. S. S. S.




	emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	emitted due to usage of LSFO will be reduced by implementation of clean fuel usage in boilers. An agreement has been executed with IOCL, and they have agreed to complete the R-LNG commissioning before 15 th January 2025. MPL is sourcing renewable energy from FEPL (solar) at 12% beginning in March 2024, Amplus (solar) at 10% by June 2024, and Amplus (wind) at 6% by July 2024, collectively accounting for 28% of the total power consumption. Also, the green belt has already developed and proposed green belt will also act as a resource for carbon sequestration.
(xvii)	The PP shall comply with the environment norms for Pharmaceuticals/Bulk Drugs Industry as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 541(E), dated 06.08.2021 under the provisions of the Environment (Protection) Rules, 1986.	Being complied. The environment norms for Pharmaceuticals/Bulk Drugs Industry as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 541(E), dated 06.08.2021 under the provisions of the Environment (Protection) Rules, 1986
(xviii)	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The PP shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996.	Agreed to comply. As per Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules, Onsite emergency plan for the existing facility is already in place and the same was submitted to O/o. DISH. Similarly, the Onsite emergency plan with mitigation measures has been prepared for the proposed project and the same will be submitted to O/o. DISH after implementation of the project. As per MSIHC rules, the Offsite emergency plan needs to be prepared and kept in place by the concerned Govt. Authority as identified in Column 2 of Schedule 5. Offsite Emergency plan preparation completed through Manali Industrial Association. The required assistance will be provided by us in mitigating the Offsite emergency if any. The implementation of the offsite emergency plan is planned in 2025.
(xix)	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.	Being Complied. The following effective fugitive emission control measures are already available in the existing unit. <ul style="list-style-type: none"> • Provision of double mechanical seals in all the hydrocarbon pumps. • All the raw material and product tanks are under Nitrogen blanketing. • TVOC emission detectors are provided in appropriate locations to monitor and

C. R. S. S.




		<p>control fugitive emission. In the existing unit, District Environment Laboratory (DEL)-Manali of TNPCB is carrying out the TVOC survey every year and the same will be continued after expansion.</p> <ul style="list-style-type: none"> • Continuous AAQ monitoring station kept in place to monitor PM2.5, PM10 and connected to TNPCB - CAC. • Plant-II is operated through DCS and the same is monitored continuously. • The entire operation carried out in a closed circuit with secondary and tertiary condensing technology with chilled water supply. <p>Emission control measures will be ensured in expansion facility also and the fugitive emissions will be controlled at 99.97%. Regular monitoring of VOCs will be carried out.</p>
(xx)	The PP shall explore possibilities for recycling and reusing of treated water in the unit to reduce the freshwater demand and waste disposal.	<p>Partially complied.</p> <p>Sewage Treatment Plant (STP) of capacity 20 KLD is commissioned and under operation to treat the generated sewage. The treated water from the STP being reused for green belt so as to reduce the freshwater demand and waste disposal. It is planned to install a RO plant with capacity of 350 KLD to treat the effluents generated from the utility units viz. Cooling Tower, DM unit and Boiler. The RO permeate will be reused for industrial usage so as to reduce the freshwater demand and waste disposal. The RO rejects will be sent to ETP for further treatment.</p>
(xxi)	As already committed by the PP, Zero Liquid Discharge shall be ensured based on the outcome of study conducted by NEERI. Effluent of 2556 KLD will be treated through Effluent Treatment Plant and disposed to sea after meeting the prescribed standards.	<p>Agreed to comply.</p> <p>NEERI visited our site during Mar '24, they completed field monitoring analysis. . Awaiting for the interim report of Field monitoring study carried at respective ETP.</p>
(xxii)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	<p>Partially complied. Continuous online (24 x 7) monitoring system is already in place for the Boiler stack & effluent and the data is being transmitted to the CPCB and SPCB servers. There is no additional stack for the expansion unit. Flow meters have been already installed in the effluent pipeline. A web camera with night vision capability will be installed within the premises.</p>

Handwritten signature




(xxiii)	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.	Agreed to comply. The storage of toxic/hazardous raw material will be bare minimum with respect to quantity and inventory. The details regarding Quantity and days of storage will be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
(xxiv)	The occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Being Complied. The occupational health center for surveillance of the worker's health is already in place. All workers & employees are provided with required safety kits/mask for personal protection in the existing unit and the same will be continued for the expansion unit. The health data are being used in deploying the duties of the workers in the existing unit and the same will be continued for the expansion unit.
(xxv)	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.	Partially complied. Training is already imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training is also provided to employees. Action plan for mitigation measures is properly implemented based on the safety and risk assessment studies for the existing unit. The same will be made available in the Expansion facility also.
(xxvi)	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Agreed to comply. MPL has a well laid individual Fire Water pumping system with Jockey pumps, Main motor driven pumps and Diesel engine driven pumps. Fire hydrant header runs throughout the plant, covering the entire MPL plant with sufficient number of hydrants and monitors as per the Tamil Nadu Factories Rules requirements. MPL has its own 1 No. of Fire Tender having water, foam and DCP extinguishing facility. Arrangement for the protection of possible fire hazards during manufacturing process in material handling is already in place. The same will be extended for the Expansion also.
(xxvii)	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper	Agreed to comply. As per the stipulated condition, appropriate solvent management system will be carried out as applicable for the solvent handling and solvent storage tanks.

C.R. Reddy



	earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	In the proposed expansion, the entire operation carried out in a closed circuit with secondary and tertiary condensing technology with chilled water supply so as to ensure nil emission of solvents from the solvent handling and storage tanks.
(xxviii)	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rainwater in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	Agreed to comply. The storm water from the roof top will be channelized through pipes to the storage tank constructed for harvesting rainwater in the premises. The harvested water will be used for various industrial processes in the unit. No recharge will be done within the premises. Process effluent/ any wastewater will not be allowed to mix with storm water.
(xxix)	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.	Agreed to comply. The company has undertaken the following Waste Minimization measures in the existing unit: <ul style="list-style-type: none"> • Mass flow meters are installed to measure the quantity of active ingredients. • Re-use of by products as raw material substitutes in other processes is done. • Use of automated filling machine in place to minimize spillage. • Use of "Closed Feed" system into batch reactors and venting equipment through vapor recovery system • Use of high pressure-hoses for equipment cleaning to reduce wastewater generation. The same scheme will be implemented in the proposed expansion.
(xxx)	The raw material Propylene and the proposed boiler fuel R-LNG shall be transferred through pipeline from CPCL refinery and IOCL LNG terminal, Ennore respectively. Further, the PP shall explore the transportation of all other materials by rail/conveyor belt, wherever feasible and submit a report to IRO, MoEF&CC within 6 months.	Agreed to comply. The raw material Propylene is being transferred through pipeline from CPCL refinery in the existing unit. The proposed boiler fuel R-LNG will be transferred through pipeline from IOCL LNG terminal, Ennore. Further exploration will be made to check the feasibility of transfer of all other materials by rail/conveyor belt.
(xxxi)	In addition to the 40% green belt, the PP shall develop greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry, etc. for the benefit of local environment and people.	Agreed to comply. In addition to the 40% green belt, green belt will be developed outside the project premises in the form of avenue plantation for the benefit of local environment and people.

G.R. Srinivas




(xxxii)	The sewage shall be treated in the proposed STP and the treated water shall be reused for the green belt.	Complied Sewage Treatment Plant (STP) of capacity 20 KLD is commissioning completed and is under operation so as to treat the generated sewage. The treated water from the STP being reused for green belt.
B.	General Conditions	Compliance Status
(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Agreed to comply. No further expansion or modification in the plant other than mentioned in the EIA will be carried out without prior approval from The Ministry of Environment, Forests and Climate Change/SEIAA as applicable. A fresh reference will be made by the unit to the Ministry/SEIAA to assess the adequacy of conditions imposed and to add additional environmental protection measures required in case of any deviations or alterations in the project proposal.
(ii)	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.	Agreed to comply. We undertake to comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts for the expansion unit.
(iii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed to comply. The lightings have already been converted to LED based in the existing unit. In the expansion facility also, the energy source for lighting purpose will be preferably LED based, or advanced having preference in energy conservation will be used.
(iv)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time).	Being Complied Noise levels in and around the plant area are within the prescribed standards of 75 dBA (daytime) and 70 dBA (night-time) in the existing unit. Ambient noise level is being monitored through TNPCB District Environment Laboratory (DEL) – Manali once in a year. In the expansion facility also, the overall noise levels in and around the plant area will be kept well within the standards by providing noise control measures including acoustic hoods,

G.R. Srinivasan




		silencers, enclosures etc. on all sources of noise generation. Ambient Noise level survey will be carried out every month by internal lab and once in a year by District Environmental Laboratory, TNPCB. The ambient noise levels will conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night-time).
(v)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied The company has already taken up various measures to improve the socio-economic conditions of the surrounding area. The company will continue to undertake all relevant measures for improving the socio-economic conditions of the surrounding area and eco-developmental measures including community welfare measures in the project area through Corporate Social Responsibility (CSR) activities by involving local villages and administration.
(vi)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Agreed to comply. The company will earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures will not be diverted for any other purpose.
(vii)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied The points of representation received by the MoEF&CC, New Delhi during processing of the proposal was shared to us vide mail dated 04-07-2022. The reply for respective points of representation with relevant justification were submitted by us to the Ministry on 07-07-2022. The points were evaluated during the 35 th Expert Appraisal Committee (EAC) meeting of Industry-3 sector held on 28-07-2022. In the Minutes of 35 th EAC meeting issued on 11-08-2022, it was mentioned that the relevant justification given by us for the respective points of representation were found to be satisfactory at Page No. 16. Environmental Clearance was granted by the MoEF&CC, New Delhi on 06-10-2022. The copy of

C.R. Srinivas



		clearance letter is available at the Website of the Ministry (https://parivesh.nic.in/)
(viii)	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly compliance status report shall be posted on the website of the company.	Being Complied. We undertake to upload/ submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly compliance status report have been uploaded to the website of the company.
(ix)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.	Agreed to comply. The environmental statement for each financial year ending 31st March in Form-V as is mandated will be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently. Copy of the same will be uploaded on the website of the company along with the status of compliance of environmental clearance conditions and will also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.
(x)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Environmental clearance was granted by the MoEF&CC, New Delhi on 06-10-2022. We have informed about the grant of environmental clearance by the Ministry through advertisement in two local newspapers which are widely circulated in the region viz. The New Indian Express (in English) and The Hindu Tamil (in Tamil, vernacular language of the locality), both dated 08-10-2022, which is within seven days from the date of issue of the clearance letter and the same was submitted with previous compliance report. The details were forwarded to the Integrated Regional Office (IRO), Chennai vide letter dated 12-10-2022.
(xi)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Being complied The project was granted final approval by the concerned authorities on 14.02.2023 (Annexure-02.) and the date of financial closure and start of the project will be

G.R. Suresh



		informed to the Regional Office as well as the Ministry.
(xii)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Agreed to comply. Noted. We agree to comply with the same.

Hope, we have submitted the details required by you and if you require any further information we are ready to furnish the same.

Thanking you,
Yours faithfully,

For **MANALI PETROCHEMICALS LIMITED**



G.R. Sridhar

Wholetime Director (Operations)

occupier@manalipetro.com

Copy to:-

- 1) The Member secretary, 76, Mount Road, Guindy, Chennai – 600 032
- 2) The Joint Chief Environmental Engineer (M), Arumbakkam, Chennai – 600 106



Annexure -01

Expansion Activity status report – MPL – Plant – II

Propylene Glycol plant

1. Consent To Establish obtained from TNPCB on 14.02.2023. (**Annexure- 02**)
2. 100% of Detailed Engineering activities completed.
3. Civil construction works under progress.
4. Equipment and piping materials procurement under progress.
5. Electrical and Instrumentation items procurement under progress.


CRS




Photographs of Land allotted by for Green Belt Development Thirunilai Panchayat, Cholavaram Union, Ponneri Taluk (Taken BEFORE Green belt development)



Photographs taken AFTER Green belt development



Green Belt Development - Present Status



Category of the Industry :

RED



CONSENT ORDER NO. 2306248529809 DATED: 14/02/2023.

PROCEEDINGS NO.T6/TNPCB/F.0112AMB/RL/AMB/A/2023 DATED: 14/02/2023

SUB: TNPC Board-Consent for Establishment FOR EXPANSION- I MANALI PETROCHEMICALS LIMITED-PLANT-II , S.F. No. 1/6, 1/8, 23 to 29,30/3 & 31, SATHANGADU Village, Thiruvottiyur Taluk, Chennai District- for the establishment or take steps to establish the industry for Expansion under Section 21 of the Air(Prevention and control of Pollution)Act,1981, as amended in 1987 (Central Act, 14 of 1981)-Issued- Reg.

REF: 1. Board Proc. No. T6/TNPCB/F.0112AMB/RL/AMB/A&W/2022 dated: 18/10/2022
2. Application No. 48529809 date: 03/11/2022 for CTE - Expansion
3. IR.No : F.0112AMB/RL/JCEE-M/AMB/2023 dated 24/01/2023.
4. Minutes of TSC meeting (item No.210-8) held on 2.02.2023

Consent to establish or take steps to establish for Expansion is hereby granted under Section 21 of the Air (Prevention and control of Pollution) Act,1981, as amended in 1987 and the Rules and Orders made there under to

Wholetime Director (Operations),
M/s . MANALI PETROCHEMICALS LIMITED-PLANT-II

Authorizing occupier to establish or take steps to establish the industry in the site mentioned below:

S.F No.1/6, 1/8, 23 to 29,30/3 & 31,
SATHANGADU Village,
Thiruvottiyur Taluk,
Chennai District.

This Consent to establish for Expansion is valid upto **October 05, 2032** , or till the industry obtains consent to operate under Section 21 of the Air (Prevention and control of Pollution) Act, 1981, as amended in 1987 whichever is earlier subject to special and general conditions enclosed.

JOSEPHINESAHAYARANI Digitally signed by JOSEPHINESAHAYARANI
Date: 2023.02.15 13:31:02 +05'30'

**For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai**

To
Wholetime Director (Operations),
M/s.MANALI PETROCHEMICALS LIMITED-PLANT-II,
MANALI PETROCHEMICALS LIMITED
SPIC HOUSE
88 MOUNT ROAD
GUINDY,
Pin: 600032

Copy to:

1. The Commissioner, CHENNAI CORPORATION-Corporation, Thiruvottiyur Taluk, Chennai District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, AMBATTUR.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
4. File

Category of the Industry :

RED



CONSENT ORDER NO. 2306148529809 DATED: 14/02/2023.

PROCEEDINGS NO.T6/TNPCB/F.0112AMB/RL/AMB/W/2023 DATED: 14/02/2023

SUB: TNPC Board-Consent for Establishment FOR EXPANSION- I MANALI PETROCHEMICALS LIMITED-PLANT-II , S.F. No. 1/6, 1/8, 23 to 29,30/3 & 31, SATHANGADU Village, Thiruvottiyur Taluk, Chennai District- for the establishment or take steps to establish the industry for Expansion under Section 25 of the Water(Prevention and control of Pollution)Act,1974 , as amended in 1988 (Central Act 6 of 1974) –Issued- Reg.

REF: 1. Board Proc. No. T6/TNPCB/F.0112AMB/RL/AMB/A&W/2022 dated: 18/10/2022
2. Application No. 48529809 date: 03/11/2022 for CTE - Expansion
3. IR.No : F.0112AMB/RL/JCEE-M/AMB/2023 dated 24/01/2023.
4. Minutes of TSC meeting (item No.210-8) held on 2.02.2023

Consent to establish or take steps to establish for Expansion is hereby granted under Section 25 of the Water (Prevention and control of Pollution) Act,1974, as amended in 1988(Central Act 53 of 1988) (hereinafter referred to as 'The Act') and the Rules and Orders made there under to

Wholetime Director (Operations),
M/s. MANALI PETROCHEMICALS LIMITED-PLANT-II

Authorizing occupier to establish or take steps to establish the industry in the site mentioned below:

S.F. No.1/6, 1/8, 23 to 29,30/3 & 31,
SATHANGADU Village,
Thiruvottiyur Taluk,
Chennai District.

This Consent to establish for Expansion is valid upto **October 05, 2032**, or till the industry obtains consent to operate under Section 25 of the Water (Prevention and control of Pollution) Act, 1974, as amended in 1988 whichever is earlier subject to special and general conditions enclosed.

JOSEPHINESAHAYARANI Digitally signed by JOSEPHINESAHAYARANI
Date: 2023.02.15 13:32:29 +05'30'

**For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai**

To
Wholetime Director (Operations),
M/s.MANALI PETROCHEMICALS LIMITED-PLANT-II,
MANALI PETROCHEMICALS LIMITED
SPIC HOUSE
88 MOUNT ROAD
GUINDY,

Pin: 600032

Copy to:

1. The Commissioner, CHENNAI CORPORATION-Corporation, Thiruvottiyur Taluk, Chennai District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, AMBATTUR.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
4. File
